

what is fag pillow block

Our company offers different fag pillow block, split pillow block bearings, plummer block catalogue pdf, split housing pillow block bearings at Wholesale Price? Here, you can get high quality and high efficient fag pillow block

FAG-Series Housings.pdf bearing size but the housing design is the same. FAG series housings are available both as split and non-split plummer block housings, flanged housings or

fag split plummer block housings of series snv - RelianceFAG · 1. FAG Split Plummer Block Housings of Series SNV for shaft diameters of 20 to 160 mm and 3/4 to 51/2 inches. Publ. No. WL 90 118/4 EAPillow Block Housings Series SAF - Tri-State BearingFAG series SAF are a standard imperial dimension range of split pillow block housings. When combined with the FAG spherical roller bearing series. 222

@@@@@@@@								
	H	C	E	N	T	J	Z	r
CFH 1	-	-	-	-	-	-	-	-
CFH 1 3/4 S BULK	-	-	-	-	-	-	-	-
CFH 1 3/8 B	-	15 mm	-	-	-	-	-	-
CFH 1 3/8 S	-	-	-	-	-	-	-	-
CFH 3 1/4 S	-	68 mm	-	-	-	-	-	-
CFH 5/8 B BULK	-	-	-	-	-	-	-	-
CFH 5/8 S	-	20 mm	-	-	-	-	-	1.1 mm
CFH 7/8 B	-	-	-	-	-	-	-	-
CFH 9/16 B	-	48 mm	-	-	-	122 mm	-	-
PCFE 2 3/4	-	412 mm	-	-	-	-	-	-
PCFE 3	-	-	-	-	88,9 mm	-	-	6,9 mm
PCFE 2 1/4	-	-	-	-	-	-	-	-
PCFE 4	-	36 mm	-	-	-	-	-	-
VCFE 3 1/2	-	-	-	-	83 mm	-	-	-
VCFE 2 1/2	-	-	-	-	-	-	-	-
BCCF 1 SB	-	-	-	-	-	-	-	-
BCCF 1	-	-	-	-	-	-	-	-

1/2 SB								
BCCF 1 1/4 SB	-	-	-	-	-	-	-	-
VCFE 4 1/2	-	-	-	-	-	-	-	-
BCCF 2 SB	-	-	-	-	-	-	-	-
BCCF 1 3/8 S	-	33,000 mm	-	-	-	-	-	-
BCCF 1 S	-	-	-	-	-	-	-	-
BCCF 1/2 S	-	-	-	-	-	-	-	-
BCCF 1 1/8 S	-	22,225 mm	-	-	26,988 mm	-	-	2,3 mm
BCCF 3 S	-	-	-	-	-	-	-	-
BCCF 2 3/4 S	-	-	-	-	-	-	-	-
BCCF 2 1/2 S	-	-	-	-	-	-	-	-
BCCF 2 S	-	-	-	-	-	-	-	-
BCCF 1 3/4 S	-	-	-	-	-	-	-	-
BCCF 1 1/4 S	-	24 mm	-	-	-	-	-	-
BCCF 1 1/2 S	-	27 mm	-	-	-	-	-	-
BCCF 3 1/4 S	-	-	-	-	-	-	-	-
BCCF 3/4 S	-	11 mm	-	-	-	-	-	-
BCCF 3/4 SB	-	-	-	-	-	-	-	-
CYR 1	-	-	-	-	-	164 mm	-	-
CCYR 4 S	-	9.55 kN	-	-	-	63.5 mm	41.3 mm	-
CYR 1 S BULK	-	19.5 kN	-	-	-	-	-	-
CCYR 1 1/4 S	-	-	-	-	-	-	-	-
CCYR 1 1/8 S	33.3 mm	-	-	-	-	-	63.4 mm	-
CYR 1 1/4 S BULK	78 mm	-	-	-	-	-	-	-
CYR 1 1/8 S	-	-	22 mm	-	-	-	-	-
NATR 10 PPXA	-	12.8 kN	-	M8	-	-	-	-

NATR 25 PPA	-	-	-	-	-	-	-	-
NATR 17 PPA	-	19.5 kN	-	12mm	-	-	-	-
NUTR 40 X	-	-	-	12mm	-	117 mm	-	-
NUTR 1542 X	-	12.8 kN	-	-	-	-	-	-
NUTR 15 A	-	31.85 kN	-	14mm	-	-	-	-
NUTR 17 X	-	-	-	-	-	-	-	-
NUTR 4090 X	-	-	-	-	-	-	-	-
NATR 6 PPXA	-	-	-	-	-	-	-	-
NATV 8 PPA	110 mm	-	-	-	-	-	-	-
NATR 30 PPA	89 mm	-	-	-	-	-	-	-
NUTR 30 X	-	-	-	12mm	-	-	-	-
NUTR 2052 A	69.8 mm	-	-	20mm	-	184 mm	90 mm	-
NUTR 1747 X	-	12.8 kN	-	M8	-	-	-	-
NUTR 50 A	-	-	-	M16	-	-	-	-
NATR 25	-	-	-	-	-	-	-	-
NUTR 45 X	39.7 mm	-	-	14mm	-	119 mm	-	-
NATV 30 PPA	-	52.5 kN	-	M16	-	105 mm	-	-
NATV 10 PPXA	-	-	-	-	-	-	-	-
NATR 17 PPXA	-	31.85 kN	-	-	-	-	-	-
NATR 35 PPA	-	-	-	-	-	-	-	-
NATV 40 PPXA	95 mm	25.7 kN	-	-	-	127 mm	21 mm	-
NATR 12 PPA	-	19.5 kN	-	12mm	-	83 mm	-	-
NATR 30	-	-	-	-	-	-	-	-
NATV 6 PPXA	-	43.55 kN	-	-	-	184 mm	-	-

NATV 17 PPA	-	-	-	-	-	-	-	-
NATV 35 PPA	-	35.1 kN	-	19mm	-	157 mm	34 mm	-
NUTR 3072 A	-	-	-	14mm	-	105 mm	35.5 mm	-
NATV 15 PPA	-	-	-	-	-	-	-	-
NATR 8 PPA	-	-	-	-	-	70 mm	-	-
NATR 8 PPXA	-	-	-	-	-	-	-	-
NATR 20 PPA	-	-	-	-	-	184 mm	-	-
NATV 20 PPA	-	-	-	-	-	-	-	-
NATR 5 PPA	-	-	-	-	-	130 mm	-	-
NATV 40 PPA	-	-	-	-	-	-	-	-
NUTR 15 X	-	-	-	29mm	-	-	-	-
NATV 15 PPXA	-	-	-	-	-	-	-	-
NATR 12 X	30.2 mm	12.8 kN	-	M10	-	-	45.6 mm	-
CFH 1 S	-	-	-	-	-	-	-	-
CFH 1 1/2	-	60 mm	-	-	-	-	-	-
CFH 1 1/8	-	220 mm	-	-	-	-	-	-
CFH 1 1/8 B	-	-	-	-	-	-	-	-
CFH 1 1/8 S	-	37 mm	-	-	-	-	-	-
CFH 1 1/2 B	-	22,22 mm	-	-	-	-	-	-
CFH 1 1/8 SB	-	51.5 mm	-	-	-	-	-	-
CFH 1 3/4 B	-	45 mm	177,5 mm	-	-	-	-	-

Plummer Block Housing SNS | Schaeffler GermanyThe new FAG SNS plummer block housing increases the operating life of the fitted spherical roller bearings by up to 50 percent. This is made possible by the

Products / Services | Bearing - Schaeffler North AmericaFAG housings and the associated bearings form bearing arrangement units that have proved themselves in machinery, plant and

other equipment. FAG bearing Bearing Housings - Bearings & Industrial Supply Co., IncSchaeffler Technologies with its brands INA and FAG is a leading worldwide The methods used for oil lubrication of FAG plummer block housings are:

@@@@@				
INA	KOMATSU	FBJ	Timken	ISO
5212CFFG	7413PJDU	R8 Z SL	2924 M	MA6216
5212MFF	7411PJDU	SS6010 2RS	32924	MR1206UV
5212CG	7410PJDU	SS6206 2RS	1301TN	MA6207TV
5212MFFG	7415PJ	SS6209 2RS	2925 M	MR1212GUV
5212MFG	7415PJDU	SS6207 2RS	23226 KM/C3W33	MUCHPL202-10R FW
8310	7414PJDU	SS6211 2RS	226 M	MUCHPL205-15R FW
8311BB	105KR-BKE	SS6210 2RS	87013	MUCHPL205-16R FW
8311	5308MZZ	SS688ZZ	23128 KMW33	MUCHPL205RFW
8312	5308MZZG	SSR16 2RS	7211 B	UCHPL203B
8312BB	5309CF	SSR16 ZZ	7305 B	CCF 4 S
5314MG	5309CZZ	T6209 00 C3	8505 RS	CCF 4 SB
5314MFFG	5309CG	T6314-2RS C3	87504 NR	CCF 5/8 N SB
5315CFE	5309CFG	13-79-DR-TF	87507 NR	CCFE 1 SB
5315CG	5309CZZG	Z9504 C3 2RS W/80 PCT SRI NO.2	87503 NR	CCF 5/8 S
5315MFF	5220 2RS	DDL1360ZZ	87512 NR	CCF 9/16 S
5315M	6308 Z C3 SL	SSXC002ZZ	87509 NR	CCF 7/8 S
5315MG	6018 NR BULK	6321 ZZC3	87511 NR	CCF 5/8 NS
5316M	6014 2RS C3 BULK	6321 NRC3	87605 NR	CCF 9/16 SB
5408C	604 2RS	6321 ZZNRC3	88014 NR	CCFE 1 1/2 S
5316MG	6019 ZZ C3	UCPA210-30MM A	87609 NR	CCFE 1 1/2 SB
5412C	61901 2RS BULK	UCPA210-32MM A	87604 NR	CCFE 1 1/4 SB
5409C	61906 C5 2RS BULK	UCPA210-50MM A	88503 NR	CCFE 1 1/4 S
5410C	61906 ZZ BULK	2200-2RS PRX	88608 NR	MCFR 26 B
5413C	6218 ZZ C3	UCPK204-20MM	88609 NR	MCFR 26 BX
5411C	6217 ZZ C3	UCPK205-14MM	913M	MCFR 26
5416C	627ZDFL	UCPK205-15MM	914M	MCFE 47 S
7130DU-BKE	87507	UCPK207-20MM	915M	MCFE 40A S
7122DU	99502H BULK	UCPK205-25MM	916M	MCFE 47 SBX
7202	6405 C3 BULK	UCPK205-16MM	A1307WB	MCFE 40 SBX
7203	686 2RS BULK	UCPK207-23MM	ALS 18	MCFE 52
5315C	688 2RS C3	UCPK207-22MM	ALS 13	MCFE 47 SX
7203DU	688 ZZ BULK	UCPK207-35MM	ALS 30	MCFE 40 SX
7204DU	688A 2RS BULK	UCPK208-24MM	AMS 11	MCFE 52 SX

7205DU	6902 2RS C3 BULK	UCPK208-40MM	AMS 24	MCFE 52 SB
7205PJ	6910ZZ	UCPK208-25MM	E17	MCFE 62 SB
7206	6916 ZZ	UCPK209-45MM	FR2 ZZ/Q	MCFE 62 S
7205PJDU	7200B 2RS	UCPA210-31MM A	E6	MCFE 62 SBX
7319DU-BKE	7002A	UCPK210-30MM	H913810	MCFE 47 SB
7319PDU-BRZ	7201B	UCPK212-36MM	HCF205	MCFE 62 SX
7319PJDU	7208B	UCPK211-32MM	FU212	MCFE 52 S
7320DU-BKE	7204B	UCPK211-34MM	HCF206-20MMR3	MCFE 52 SBX
7320PDU-BRZ	7612 DLG	UCPK212-39MM	HCF205-16MMR3	MCFE 72
7322PDU-BRZ	6315 ZZ C3	UCPK212-38MM	HCF206-30MM	MCFE 72 S
7326PDU-BRZ	6316 2RS C3	UCPK212-60MM	HCF207	MCFE 72 SB
7322DU-BKE	6316 ZZ C3	UCPPL205-16MM SS	HCF207-21MMR3	CCFH 4 SB
7406PJDU	6317 ZZ C3	UCPPL205-25MM SS	HCF207-22MMR3	CCFH 5/8 SB
7406PJ	6318 ZZ C3	UCPPL206-20MM SS	HCF208-24MMR3	CCFH 7/8 S
7407PJDU	63306 2RS C3 BULK	UCPPL207-20MM SS	HCF209-27MMR3	CCFH 9/16 SB
7326DU-BKE	63309 2RS C3	UCPPL206-30MM SS	HCF209-28MMR3	CCFH 9/16 S
7405PJ	16006	UCPPL207-23MM SS	HCF211-32MMR3	CCFH 5/8 S
7405PJDU	16018	UCPPL207-22MM SS	HCF210	CFH 1
7407PJ	6205-2RS-1	UCPPL208-24MM SS	HCF210-32MM	CFH 1 S
7408PJ	6204 2RS 5/8	UCPPL207-35MM SS	HCF211-35MMR3	CFH 1 1/2
7408PJDU	6206ZZC3A0G10	UCPSS204-20MM SS	HCF212-39MMR3	CFH 1 1/8
7409PJDU	1657-2RS	UCPSS205-14MM SSSS	HCF212-36MM	CFH 1 1/8 B
7410PJ	62052RS X 1	23222 KM/C3W33	HCF214-70MM	CFH 1 1/8 S
7413PJDU	6005-2RS FENCR/ALVANIA NO.2	2222 K	HCFBSS205-16A MMSS	CFH 1 1/2 B
7411PJDU	698DDMC3	1222 K C3	HCF214-44MM	CFH 1 1/8 SB
7410PJDU	6910-2RS	1322 K	HCFL202-10MM	CFH 1 3/4 B
7415PJ	LR200NPPU	51322 M	HCFL204-12MM	CFH 1 3/4 S BULK
7415PJDU	JU040XPO	2222	HCFL205-16MMR3 3	CFH 1 3/8 B
7414PJDU	SFR4ZZ	1322	CCF 2 3/4 S	CFH 1 3/8
105KR-BKE	6809 ZZNRC4	6322 ZZNR	CCF 3 S	CFH 3 1/4 S
5308MZZ	MR104 ZZ MC5	2923 M	CCF 3 1/2 SB	CFH 5/8 B BULK

5308MZZG	MR128ZZ300Q BULK	6322 MC3	CCF 3 1/4 SB	CFH 5/8 S
5309CF	NACD A100112	6323 M Z	CCF 3 1/4 S	CFH 7/8 B
5309CZZ	NA008A2	6324 2RSC3	CCF 3/4 S	CFH 9/16
5309CG	SS6001 2RS BULK	2924 M	CCF 3/4 SB BULK	CFH 9/16 B
5309CFG	SS6001 ZZ	32924	LSE111BX	PCFE 2 3/4
5309CZZG	SS6007 2RS	1301TN	LSE112BR	PCFE 3
5220 2RS	SS6009 2RS	2925 M	MSM85BX	PCFE 2 1/4
6308 Z C3 SL	F686ZZ300Q BULK	23226 KM/C3W33	MSM90BR	PCFE 4
6018 NR BULK	R24 BULK	226 M	MSM55BR	VCFE 3 1/2
6014 2RS C3 BULK	R8 Z SL	87013	MSM65BX	VCFE 2 1/2
604 2RS	SS6010 2RS	23128 KMW33	INS-DL-200	BCCF 1 SB
6019 ZZ C3	SS6206 2RS	7211 B	INS-DLM-107	BCCF 1 1/2 SB
61901 2RS BULK	SS6209 2RS	7305 B	INS-SXR-106	BCCF 1 1/4 SB
61906 C5 2RS BULK	SS6207 2RS	8505 RS	INS-SXR-110	VCFE 4 1/2
61906 ZZ BULK	SS6211 2RS	87504 NR	INS-SXR-112	BCCF 2 SB
6218 ZZ C3	SS6210 2RS	87507 NR	MA6216	BCCF 1 3/8 S
6217 ZZ C3	SS688ZZ	87503 NR	MR1206UV	BCCF 1 S
627ZDFL	SSR16 2RS	87512 NR	MA6207TV	BCCF 1/2 S
87507	SSR16 ZZ	87509 NR	MR1212GUV	BCCF 1 1/8 S
99502H BULK	T6209 00 C3	87511 NR	MUCHPL202-10R FW	BCCF 3 S
-	T6314-2RS C3	87605 NR	MUCHPL205-15R FW	BCCF 2 3/4 S
-	13-79-DR-TF	88014 NR	MUCHPL205-16R FW	BCCF 2 1/2 S
-	-	87609 NR	MUCHPL205RFW	-

Pillow Block Housings - Brand: FAG (Schaeffler) - Motion49 Items - Buy Pillow Block Housings direct from Motion Industries. Your proven service leader with reliable delivery since 1972FAG Split Pillow Block - Bartlett BearingMounting Instructions: Adapter. FAG ADAPTER MOUNTED. SPHERICAL ROLLER BEARING PILLOW BLOCKS. Note: Leave bearing in protective wrapping

Split Plummer Block Housings SNS - SchaefflerSplit FAG plummer block housings SNS and the associated bearings form bearing arrangement units that can be matched, through the specific selection of seal Split Pillow Block Housings SAF - the Schaeffler GroupThe new generation of SAF split pillow block housings has been completely .. is ensured. For condition monitoring, it is possible to connect FAG SmartCheck,