



NTN Bearing de Mexico, S.A.



95 mm x 200 mm x 45 mm SKF 7319 BEGAP Angular Contact Ball Bearings

Bearing No. 7319 BEGAP

7319 BEGAP Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	5.876
EAN	7316577610386
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Polyamide
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Preload	Light
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	95MM Bore; 200MM Outside Diameter; 45MM Width; Open; Yes Flush Ground; Ball Bearing; Single



NTN Bearing de Mexico, S.A.

	Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Polyamide Cage; 40 Degree; 1 (Singl
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	7319 BEGAP
B	1.772 Inch 45 Millimeter
d	3.74 Inch 95 Millimeter
D	7.874 Inch 200 Millimeter
bore diameter:	95 mm
cage material:	Nylon
outside diameter:	200 mm
outer ring width:	45 mm
overall width:	45 mm
finish/coating:	Uncoated
contact angle:	40 °
precision rating:	Not Rated
row type & fill slot:	Single-Row Non-Fill Slot
fillet radius:	2.5 mm
internal clearance:	C0
series:	73
closure type:	Open
d	95 mm
D	200 mm
B	45 mm
d ₁	136.2 mm
d ₂	114.92 mm



NTN Bearing de Mexico, S.A.

D_1	161.25 mm
a	84 mm
$r_{1,2}$ min.	3 mm
$r_{3,4}$ min.	1.1 mm
d_a min.	109 mm
D_a max.	186 mm
D_b max.	193 mm
r_a max.	2.5 mm
r_b max.	1 mm
Basic dynamic load rating C	180 kN
Basic static load rating C_0	163 kN
Fatigue load limit P_u	5.7 kN
Reference speed	4000 r/min
Limiting speed	4300 r/min
Calculation factor A	0.406
Calculation factor k_r	0.1
Calculation factor e	1.14
Calculation factor X	0.35
Calculation factor Y_0	0.26
Calculation factor Y_2	0.57
Calculation factor X	0.57
Calculation factor Y_0	0.52
Calculation factor Y_1	0.55
Calculation factor Y_2	0.93
Mass bearing	6.05 kg