



NTN Bearing de Mexico, S.A.



55 mm x 100 mm x 21 mm SKF 7211 BEGAP Angular Contact Ball Bearings

Bearing No. 7211 BEGAP

7211 BEGAP Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.621
EAN	7316577611352
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Polyamide
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Preload	Light
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	55MM Bore; 100MM Outside Diameter; 21MM Width; Open; Yes Flush Ground; Ball Bearing; Single



NTN Bearing de Mexico, S.A.

	Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Polyamide Cage; 40 Degree; 1 (Singl
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	7211 BEGAP
D	3.937 Inch 100 Millimeter
d	2.165 Inch 55 Millimeter
B	0.827 Inch 21 Millimeter
bore diameter:	55 mm
radial static load capacity:	40 kN
outside diameter:	100 mm
cage material:	Nylon
overall width:	21 mm
outer ring width:	21 mm
contact angle:	40 °
maximum rpm:	8000 RPM
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	Not Rated
closure type:	Open
fillet radius:	1.5 mm
radial dynamic load capacity:	49 kN
series:	72
d	55 mm



NTN Bearing de Mexico, S.A.

D	100 mm
B	21 mm
d ₁	72.45 mm
d ₂	63.62 mm
D ₁	83.3 mm
a	43 mm
r _{1,2} min.	1.5 mm
r _{3,4} min.	1 mm
d _a min.	64 mm
D _a max.	91 mm
D _b max.	94 mm
r _a max.	1.5 mm
r _b max.	1 mm
Basic dynamic load rating C	49 kN
Basic static load rating C ₀	40 kN
Fatigue load limit P _u	1.66 kN
Reference speed	8000 r/min
Limiting speed	8000 r/min
Calculation factor A	0.022
Calculation factor k _r	0.095
Calculation factor e	1.14
Calculation factor X	0.35
Calculation factor Y ₀	0.26
Calculation factor Y ₂	0.57
Calculation factor X	0.57
Calculation factor Y ₀	0.52
Calculation factor Y ₁	0.55
Calculation factor Y ₂	0.93
Mass bearing	0.62 kg